

# **Federal Communications Commission**

# **Hearing Aid Compatibility Status Report (FCC Form 655)**

Reporting Period: July 1, 2009 - June 30, 2010 Filing Confirmation Number: 0004318269

Filing Deadline: July 15, 2010 FRN: 0005876149

Filing Date: 07/09/2010 04:11 PM

# **General Report Information**

# **Type of Company**

Device Manufacturer

# **De Minimis Exception**

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

# **Company Information**

Company Name: Symbol Technologies Inc.

PO Box:

Street Address: One Motorola Plaza

City: Holtsville

State: NY Zip Code: 11742

Contact Name: Mark Luksich Contact Phone: (631) 738-5134

Contact Fax:

Contact Email: mark.luksich@motorola.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### **Product Labeling**

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets with the Wi-Fi air interface have clear and effective disclosure that the handset has not been tested for hearing aid compatibility with respect to its Wi-Fi voice operation? Yes Explain:

#### **Public Website**

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: http://www.motorola.com

### **Consumer Outreach**

Describe consumer outreach efforts in the past 12 months: Symbol Technologies products are commercial / industrial products sold to business.

### **Hearing Aid Testing**

How many handset models were tested for hearing aid compatibility during the reporting period? 3

### **Report Remarks**

None

You have reported the following handset model summary information.

Total number of handsets offered: 9

Air Interface	Fully Hea Comp Number	atible	Acoustic Coupling Compatible Only Number Percent	Non-Co Hand Number	_	Total by Air Interface
GSM	2	25%		6	75%	8
CDMA	2	100%				2
WCDMA	2	40%		3	60%	5

# Handset 1: Symbol Technologies MC5574

### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC5574 H9PMC5574

### Air Interfaces/Frequency Bands

700 MHz GSM

850 MHz GSM

1900 MHz GSM

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

# **Dates**

This handset model was offered from: 07/08 to 06/10

# **Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

# Remarks

# Handset 2: Symbol Technologies MC7004

#### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC7004 H9PMC7004

# Air Interfaces/Frequency Bands

700 MHz GSM

850 MHz GSM

1900 MHz GSM

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

### **Dates**

This handset model was offered from: 10/05 to 06/10

### **Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

# Handset 3: Symbol Technologies MC7094

#### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC7094 H9PMC7094

### Air Interfaces/Frequency Bands

700 MHz GSM

850 MHz GSM

1900 MHz GSM

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

#### **Dates**

This handset model was offered from: 01/06 to 06/10

### **Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

# Handset 4: Symbol Technologies MC7506

### **Handset Maker**

**Symbol Technologies** 

Handset Model Name FCC ID

MC7506 H9PMC7506

### Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 1900 MHz GSM

1900 MHz WCDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

#### **Dates**

This handset model was offered from: 06/08 to 06/10

### **Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

# Handset 5: Symbol Technologies MC7596

### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC7596 H9PMC7596

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA 1900 MHz GSM 1900 MHz WCDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

#### **Dates**

This handset model was offered from: 06/08 to 06/10

# **Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### **Remarks**

# Handset 6: Symbol Technologies MC9596

### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC9596 UZ7MC9596

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

#### **Dates**

This handset model was offered from: 09/09 to 06/10

### **Ratings**

M-Rating: M4

M-Rating Certification Date: 03/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### **Remarks**

# Handset 7: Symbol Technologies MC9598

### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC9598 UZ7MC9598

# Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

# Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

#### **Dates**

This handset model was offered from: 09/09 to 06/10

# **Ratings**

M-Rating: M4

M-Rating Certification Date: 03/30/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/30/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### **Remarks**

# Handset 8: Symbol Technologies MC75A6

#### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

MC75A6 H9PMC75A6

# Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

#### **Dates**

This handset model was offered from: 06/10 to 06/10

### **Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

# Handset 9: Symbol Technologies ES405B

### **Handset Maker**

Symbol Technologies

Handset Model Name FCC ID

ES405B UZ7ES405B

# Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

#### **Dates**

This handset model was offered from: 06/10 to 06/10

### **Ratings**

M-Rating: M3

M-Rating Certification Date: 05/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### **Remarks**

# Certification

### This Report has been certified by:

Mark S Luksich DMTS - Regulatory Engineering 07/09/2010 04:11 PM